

r a m logic model  Inputs  MSW Program Manager RN Instructor	Funding Infant Care Curriculu	10 voluntee m	773	
Activities	Outputs	Short-term	Intermediate	Long-Term
Program provides parenting classes on prenatal through infant nutrition, development, safety and care taking delivered in	parenting classes on prenatal through inflant nutrition, development, addrey and care staking delivered in high schools twice hour to teen monthers from 3 months to one year after delivery	Teens are knowledgeable of prenatal nutrition and health guidelines.	Teens follow proper nutrition and health guidelines. Teens deliver healthy babies.	Babies achieve appropriate 12 month milestones for physical, motor, verbal and social development.
high schools wice a week for one hour to teen mothers from 3 months to one year after delivery of child.		Teens are knowledgeable of proper care, feeding and social interaction with infants.	Teens provide proper care, feeding, and social interaction to their babies.	

IF employment counseling for women trying to become financially self-sufficient includes job interviewing skills...

Output

\_

## THEN the women will give more effective job interviews. Short-term

IF they give better
interviews, THEN they are
more likely to find jobs.





IF they find jobs, THEN they are more likely to be financially self-sufficient.

Long-term





11

Spark

The purpose of an indicator is to help you know whether an outcome has been achieved.

Spark


The specific observable, measurable characteristic or change that will represent the achievement of the outcome

outcome indicators

The specific statistic(s) (e.g. number and percent attaining outcome) the program will calculate to summarize its level of achievement.

Spark

14



MSW Program Direct 10 Parent Coaches Parenting Class Curric Funding	ulum		
Activities	Outputs	Short-term	Indicator
Program provides parenting classes on prenatal through infant nutrition, development, safety and care taking delivered in high schools twice a week for one hou to teen mothers from 3 months to one year after delivery of child.		Teens are knowledgeable of prenatal nutrition and health guidelines.	30% (76 out of 280) of program participants will be able to identify food items that are good sources of major dietary requirements.

METHOD	ADVANTAGES	DISADVANTAGES
Surveys	Anonymous completion possible     Can administer to groups of people at the same time     Can be efficient and cost effective	Foeced choices may miss certain responses from participants     Wording may bias responses     Impersonal
Interviews (individual/ in-depth)	Can build rapport with participant     Can prove to get additional information     Can get breadth or depth of information	Time consuming     Expensive     Interviewing styles and wording may affect responses
Focus Groups	Can get common impressions quickly     Can be an efficient way to get breadth and depth of information in a short time frame	Need experienced facilitator     Can be difficult and costly to schedule a group of 6–8 people     Time consuming to analyze responses
Observation	Can view program operations as they occur	Difficult to interpret observed behaviors     May influence behaviors of program participants     May be expensive and time consuming to record each individual event
Document Review	Can document historical information about year program     Does not interrupe program routine     Information already exists	May be time consuming     Available information may be incomplete     Gathering information is dependent on quality of records kept